

Dalapro Fine

PRODUCT INFORMATION

Dalapro Fine is a light hand filler for use on walls and ceilings. Dalapro Fine is particularly suitable for filling and smoothing in thin layers where an extremely fine surface is required (i.e. wallpaper joints and final smoothing on plasterboard). Marco Joint Paper Tape is recommended when filling plasterboard joints. The product fulfils the CE requirements according to EN 13963 and is produced in accordance with ISO 9001 and ISO 14001.

Instructions

Apply by hand on clean, dry and firmly attached surfaces at a minimum temperature of +5°C. Use sandpaper, particle size 100-120, when sanding the dry surface. Eye protection and dust mask are recommended when sanding. Filled surfaces should be primed before wallpapering. Follow your local branch regulations and recommendations.

Consumption of material

Thin coat plastering = 1 litre/ m² per mm (Q4)
1st and 2nd fill on plasterboard joint = approx 0.25 l/m (Q2).
1st and 2nd fill + final thin coat on plasterboard joint = approx 0.3 l/m (Q3).

Drying time

The drying time is dependent on substrate, layer thickness, temperature, ventilation and atmospheric conditions.

Storage

Protect from frost and direct sunlight. The packaging is marked with best-before date. Unopened packs can be stored in 12 months.



TECHNICAL DATA

Binder:	Latex co-polymer
Solvent:	Water
Filler:	Microspheres and white dolomite
Particle size:	Max 0,15 mm
Bulk density:	Approx. 1,3 kg/l
Vol. non-volatile matter:	Approx. 52%
pH:	Approx. 9
Colour:	White
Build:	Very good
Flammability:	Does not spread or support fire
Cleaning:	Use water for tools and spillage
Packaging:	3 l plastic bucket, 500 ml tube
Range of application:	For indoor use

The information contained in this data sheet is the result of our study and experience. It is offered in good faith and cannot a guarantee and no liability is assumed. We reserve the right to change any product information included in this document without prior information. For latest product information: www.dalapro.com

Last updated 2011-01-18

Dalapro

phone: +46 19 46 34 00 • fax: +46 19 46 57 31 • info@dalapro.se • www.dalapro.com